

PHOENIX 720

720W
Power

3.2
 $\mu\text{mol}/\text{j}$

IP65
Waterproof

CE





RoHS
compliant

0-10V
Dimmer



Features

Model	PHOENIX 720
Input Power	720W
Input Voltage	220-240VAC
PPF	2304 $\mu\text{mol/j}$
Spectrum	Complete
Input frequency	50-60Hz
Power Factor	>0.95
Dimensions	1120x1060x38mm
Mounting Height	over 15cm Above canopy
Thermal Management	Passive
Dimming	0-10V (0%-100%) / PWM
Waterproof&Dustproof	IP65
LED Sanan	1728pcs 4000K 2835LED 84pcs 660nm 3030LED
Light Distribution	120°
Driver Cultilite	Non-isolated power supply
External Control	Universal controller 0-10V (group control: max 50pcs)
Warranty	3 years
Certifications	CE - ROHS
Working Temperature	0°C - 40°C
Storage Temperature	-20°C - 70°C



PPFD

Test area: 1,2mx1,2m

442	480	520	488	456
784	1172	1163	1169	819
1126	1353	1348	1357	1183
793	1191	1161	1151	825
460	504	548	508	467
30cm				

476	507	539	513	489
710	932	990	965	741
944	1108	1142	1112	993
706	953	974	927	727
468	502	573	499	460
45cm				

456	487	518	496	475
631	774	807	797	656
806	892	933	908	838
641	774	795	766	641
476	500	524	485	445
60cm				

383	419	454	443	432
485	556	589	576	520
587	632	656	639	608
496	569	581	546	488
405	423	442	402	368
90cm				

Packing

MODEL	N.W.	Q.ty	Carton size	G.W.
720W 3.2 $\mu\text{mol/j}$	7.45kg	1pcs/box	1155x105x550mm	9.25kg